

CONTENTS

Approval Page.....	iii
Acknowledgements.....	iv
List of Figures.....	xv
List of Tables.....	xxiii
Common Abbreviations.....	xxvi
Abstract.....	xxvii
Chapter	
1. Introduction.....	1
Trace Fossils as Paleoenvironmental Indicators.....	1
Objectives and Aims.....	3
Geological Setting.....	4
The Coconino Sandstone.....	4
The De Chelly Sandstone.....	5
Views on the Paleodepositional Environment of the Coconino Sandstone.....	7
Brief Overview of Each Chapter.....	10
Significance.....	11
References.....	12
2. Quantitative Analysis Comparing Experimental Trackways of Scorpions, Tarantulas, and Crayfish with Fossil Trackways from Permian Sandstones in Arizona.....	16
Abstract.....	17
Introduction.....	18
Previous Invertebrate Ichnological Work.....	19
Methods.....	24
Neoichnological Experimental Setup.....	25
Neoichnological Methods.....	33
Trackway Parameters and Terminology.....	35

Preliminary Analysis.....	39
Descriptive Statistics.....	40
Predictive Statistical Approaches	42
Systematic Ichnology.....	44
Ichnogenus: <i>Octopodichnus</i> Gilmore, 1927	44
Ichnospecies: <i>Octopodichnus didactylus</i> Gilmore, 1927.....	45
Ichnospecies: <i>Octopodichnus minor</i> Brady, 1947	46
Ichnogenus: <i>Paleohelcura</i> Gilmore, 1926	49
Ichnospecies: <i>Paleohelcura tridactyla</i> Gilmore, 1926	50
Results.....	53
General Observations.....	55
Generalized Condition Trends	55
Series Trends for Species Overall.....	57
Individual Trackway Parameter Trends.....	59
Scorpions.....	61
Tarantulas.....	66
Crayfish.....	71
Slope Effects	77
Non-metric Multidimensional Scaling Visualizations.....	78
Predictions for the Ichnites	83
Multinomial Logistic Regression GAMs.....	83
Random Forest Models.....	83
Gower Dissimilarity Coefficient Matrix.....	85
Discussion.....	85
Sand Condition Predictions for the Ichnites	85
Suitability of Experimental Analogs as Ichnite Producers	90
Scorpions.....	90
Tarantulas.....	92
Crayfish.....	94
Other Producer Possibilities.....	96

Preservation of Trackways.....	99
Methodological Strengths and Limitations.....	101
Conclusions.....	103
References.....	107
Appendix A: Explanation of Complex Trackway Characteristics and Measurements Used.....	116
Appendix B: Preliminary Analysis Workflows, Selected Results, and Wsa vs Wdr-b Analysis	121
Part 1: Orange Data Mining Software Workflows and Selected Results.....	121
Part 2: Evidence for Merging Wetter than Usual Wet Drying Trackways with the Wet Saturated Condition for Crayfish, Scorpion, and Tarantula Experimental Trackways.....	127
Appendix C: Complex Trackway Data Trend Tables.....	129
Scorpion and Ichnites.....	129
Tarantula and Ichnites.....	132
Crayfish and Ichnites	134
Appendix D: Selected Variables for Predictive Statistical Approaches	136
Selected Variables for MLRGAMs	136
Selected Variables for Random Forest Models and N-MDS Visualizations.....	139
Selected Variables for Gower Dissimilarity Coefficient Matrix	142
Appendix E: Predictive Statistical Analysis Expanded Methods and Results.....	143
Predictive Statistical Analysis Methods.....	143
Multinomial Logistic Regression GAMs.....	143
Random Forest Models	146
Gower Dissimilarity Coefficient Matrix.....	147
References for Predictive Statistical Analysis Methods	148
Predictive Statistical Analysis Results.....	151
Multinomial Logistic Regression GAMs.....	151
Random Forest Models	152
Gower Dissimilarity Coefficient Matrix.....	153

3. Comparison of <i>Paleohelcura</i> with Archaeognathan Trackways: Jumping Bristletails as Possible Producers.....	155
Abstract.....	156
Introduction.....	157
Previous Neoichnological Trackway Experiments with Jumping Bristletails	159
Purpose of this Research.....	160
Methods.....	161
Results.....	163
Discussion.....	168
Conclusion	169
References.....	170
Appendix A.....	172
Trackway Ratio Trend Tables.....	172
4. Ichnotaxonomical Comparison and Synonymization of <i>Paleohelcura</i> with <i>Stiaria intermedia</i>	174
Abstract.....	175
Introduction.....	175
Methods.....	181
Results.....	184
Ichnotaxobase Comparison for <i>Stiaria intermedia</i> and <i>Paleohelcura tridactyla</i>	184
Maximum Number of Imprints.....	184
Imprint Morphology.....	185
Medial Impression	185
Series Morphology.....	186
Series Symmetry	187
Quantitative Measures (Size).....	191
Discussion.....	198
Ichnotaxonomy	198
Producer and Paleoenvironmental Implications	200
Conclusion	201
References.....	202

5. Reanalysis of <i>Permichnium coconinensis</i> based on Neoichnological Experiments with Madagascar Hissing Cockroaches	207
Abstract	208
Introduction	209
Previous Invertebrate Ichnological Work	210
Methods	212
Neoichnological Experimental Setup and Methodology	212
Trackway Parameters and Terminology	215
Descriptive Statistics	215
Predictive Statistical Approaches	218
Systematic Ichnology	218
Ichnogenus: <i>Lithographus</i> Hitchcock, 1858	218
Ichnospecies: <i>Lithographus hieroglyphicus</i> Hitchcock, 1858	219
Results	225
General Observations	227
Generalized Condition Trends	227
Variable Trends Across Conditions	228
Slope Effects	235
Non-metric Multidimensional Scaling Visualizations	237
Sand Condition Prediction for the Ichnite	238
Discussion	238
Sand Condition Predictions for the Ichnites Compared Across All Methods	238
Madagascar Hissing Cockroaches as Analogs	241
Extended Abdomens	242
Sloped Subaqueous Conditions	242
Comparison with Ichnite Morphology	243
Possible Producers of the Ichnite	244
Conclusions	245

References.....	246
Appendix A: Trackway Data Trend Tables	251
Cockroach Trackways and the Ichnite	251
Appendix B: Selected Variables for Predictive Statistical Approaches	253
Selected Variables for N-MDS and Random Forest Approaches.....	253
Selected Variables for Gower Dissimilarity Coefficient Matrix	254
Appendix C: 3D N-MDS for Cockroach Trackways and the Ichnite.....	254
6. Reanalysis of Invertebrate Trails and Simple Trackways in the Coconino Sandstone, AZ.....	257
Abstract.....	258
Introduction.....	259
Previous Invertebrate Ichnological Work	260
Significance of the Present Study	264
Methods.....	266
Paleoichnological Material and Preparation for Analysis	266
Neoichnological Experimental Setup	268
Neoichnological Experimental Methods.....	272
Filtering Traces for Analysis	274
Analysis of Traces.....	277
Systematic Ichnology.....	280
Ichnogenus: <i>Didymaulichnus</i> Young, 1972.....	280
Ichnospecies: <i>Didymaulichnus lyelli</i> (Rouault, 1850)	282
Ichnogenus: <i>Diplopodichnus</i> Brady, 1947.....	286
Ichnospecies: <i>Diplopodichnus biformis</i> Brady, 1947	288
Compound Ichnotaxon: <i>Diplopodichnus biformis</i> X <i>Didymaulichnus lyelli</i>	292
Ichnogenus: <i>Helminthoidichnites</i> Fitch, 1850	294
Ichnospecies: <i>Helminthoidichnites tenuis</i> Fitch, 1850.....	294

Ichnogenus: <i>Oniscoidichnus</i> Brady, 1949	300
Ichnospecies: <i>Oniscoidichnus filiciformis</i> (Brady, 1947).....	304
Ichnogenus: <i>Trisulcus</i> Hitchcock, 1865.....	309
Ichnospecies: <i>Trisulcus laqueatus</i> Hitchcock, 1865.....	310
Problematicum A	312
Problematicum B	314
Results.....	315
General Neoichnological Experimental Results	315
Species-Specific Neoichnological Experimental Comments.....	316
Spirobolida Millipedes (Figures 6C.1 – 6C.2).....	316
Spirostreptida Millipedes (Figure 6C.3)	317
Polydesmid Millipede (Figure 6C.4)	317
Common Woodlouse (Figure 6C.5).....	318
Rock Louse (Figure 6C.6).....	319
Tadpole Shrimp (Figure 6C.7).....	319
Comparative Analysis.....	320
Unary Trails	320
Ternary Trails.....	321
Binary Trails	326
Simple Trackways.....	332
Problematicum B	336
Discussion.....	339
Suitability of Experimental Analogs as Ichnite Producers	340
Preservation of Traces on Sand Dunes is Enigmatic	342
Conclusions.....	342
References.....	347
Appendix A: Explanation of Simple Trace Characteristics and Measurements Used.....	361
Appendix B: Additional Slabs Containing Traces from the Coconino Sandstone	366
Appendix C: Representative Trackway Pictures for Each Species	371
7. Traces of Fishing Spiders, Hermit Crabs, and Marine Snails Compared with Trace Fossils	378

Abstract	379
Introduction.....	379
Fishing Spiders.....	380
Hermit Crabs.....	380
Gastropods	381
Methods.....	382
Results.....	384
Fishing Spiders.....	385
Hermit Crabs.....	387
Gastropods	388
Discussion.....	389
Comparison of Experimental Traces with Coconino Ss Traces	389
Ichnotaxa with Similar Producers Ascribed to Them.....	391
Fishing Spider Traces	391
Hermit Crab Traces.....	392
Snail Traces.....	392
Conclusion and Future Research Directions.....	395
References.....	396
8. Conclusion	399
Conclusions from Individual Studies.....	400
Chapter Two.....	400
Chapter Three.....	402
Chapter Four	403
Chapter Five.....	404
Chapter Six.....	405
Chapter Seven.....	406
General Conclusions and Implications of this Research.....	407
Sand Conditions When the Traces Formed	407
Producers.....	409
Producers of Complex Trackways	410
Producers of Simple Trackways and Trails	411

Broader Implications.....	413
Future Directions	414
References.....	415